



APPROVED BY DRAFTSMAN	O.G. FIG.	
	CLASS	SUBCLASS

[illegible]






Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 12




Fig. 13





Fig. 14a

*Fig. 14b*




Fig. 15




Fig. 16




Fig. 17

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

19/40

Call Indications at Nurse Control Stations

Call Priority Level	Incoming Call Display		Tone Signaling in Pulses Per Minute (PPM)
	Arrow Flash Rate in Pulses Per Minute (PPM)	Room-Bed Displayed on NCS Display 3272 Call Level Displayed on NCS Display 3272	
1 Smoke Detector Call	120	yes-no SMOKE DETECTOR	120
2 Code Blue Call	120	yes-yes CODE BLUE	120
3 Staff Assist Call	60	yes-no STAFF ASSIST	60
4 Emergency Call	60	yes-no EMERGENCY	60
5 Patient Priority	60	yes-yes PAT PRIORITY	60
6 Personal Attention	steady	yes-yes PERSONAL ATTEN	1 @ 4PPM
7 Overtime Call	30	yes-yes OVERTIME	2 @ 4PPM
8 Cord Removal Call	30	yes-no CORD REMOVAL	2 @ 4PPM
9 Patient Call	steady	yes-yes PATIENT CALL	1 @ 4PPM
10 Staff Call	steady	yes-n/a STAFF CALL	1 @ 4PPM
11 Auxiliary Device Call	30	yes-no AUX DEV 1 CALL	2 @ 4PPM
12 Auxiliary Device Call	30	yes-no AUX DEV 2 CALL	2 @ 4PPM

Fig. 18

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

20/40

Call Indications at Patient Stations

Call Priority Level	Visual Indications		Tone Signaling in Pulses Per Minute (PPM)	Zone Indicator Assembly Group Indicator Color/Rate (PPM)
	Station Call Placement LED Indicator on Patient Stations (not shown) in PPM	Bed Call Placement LED Indicator on Patient Stations (not shown) in PPM		
1 Smoke Detector Call	120	no	120	Red/120
2 Code Blue Call	120	120	no	Blue/120
3 Staff Assist Call	60	no	no	White/60
4 Emergency Call	no	no	no	White/60
5 Patient Priority	60	60	single tone burst	White/60
6 Personal Attention	steady	steady	single tone burst	White/steady
7 Overtime Call	30	30	no	Grn.-Amb./60-30
8 Cord Removal Call	30	no	no	White/30
9 Patient Call	steady	steady	single tone burst	White/steady
10 Staff Call	n/a	n/a	n/a	White/steady
11 Auxiliary Device Call	30	no	no	White/30
12 Auxiliary Device Call	30	no	no	White/30


Fig. 19

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Call Indications at Staff Stations

Call Priority Level	Visual Indications			Tone Signaling Pulses Per Minute (PPM)	Zone Indicator Assembly (3022) Group Indicator Color/Rate (PPM)
	Incoming Call LED Indicator on Staff Station (not shown) (PPM)	Room-Bed Displayed on Staff Station Display 2422	Call Level Displayed on Staff Station Display 2422		
1 Smoke Detector Call	120	yes-no	SMOKE DETECTOR	120	Red/120
2 Code Blue Call	120	yes-yes	CODE BLUE	120	Blue/120
3 Staff Assist Call	60	yes-no	STAFF ASSIST	60	White/60
4 Emergency Call	60	yes-no	EMERGENCY	60	White/60
5 Patient Priority	60	yes-yes	PAT PRIORITY	60	White/60
6 Personal Attention	steady	yes-yes	PERSONAL ATTEN	1 @ 4PPM	White/steady
7 Overtime Call	30	yes-yes	OVERTIME	2 @ 4PPM	Grn.-Amb./60-30
8 Cord Removal Call	30	yes-no	CORD REMOVAL	2 @ 4PPM	White/30
9 Patient Call	steady	yes-yes	PATIENT CALL	1 @ 4PPM	White/steady
10 Staff Call	steady	yes-n/a	STAFF CALL	1 @ 4PPM	White/steady
11 Auxiliary Device Call	30	yes-no	AUX DEV 1 CALL	2 @ 4PPM	White/30
12 Auxiliary Device Call	30	yes-no	AUX DEV 2 CALL	2 @ 4PPM	White/30

Fig. 20

**Fig. 21**

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

23/40




Fig. 22




Fig. 23




Fig. 25




Fig. 26




Fig. 27

DATA FRAME FORMAT AND TIMING TO PBX

TIME




Fig. 29




Fig. 30

NCS SYSTEM




Fig. 31

APPROVED BY	O.G. FIG.	
DRAFTSMAN	CLASS	SUBCLASS

33/40




Fig. 32




Fig. 33

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

35/40




Fig. 34




Fig. 35




Fig. 36

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

5200



Fig. 37

5210

IDENTIFIER
CIRCUIT

5220



5200

Fig. 38




Fig. 39




Fig. 40

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

39/40




Fig. 41




Fig. 42